



PUR-cables - YSL11Y 40P  
non-abrasive



### Technical attributes

Standards	adapted to DIN VDE 0245, 0281
Conductor type	cable blanc, fine stranded
Conductor material	Cu, bare
Conductor standard	DIN VDE 0295
Conductor category	5
Core colours	to DIN VDE 0293 bk continuously numbered, protective earth gn/ye
Outer sheath	pur
Outer sheath colour	grey
Temperature range min., mobile operation	-5 °C
Temperature range max., mobile operation	+70 °C
Temperature range min., fixed installation	-40 °C
Temperature range max., fixed installation	+80 °C
Nominal voltage U <sub>0</sub> /U	300/500 V
Test voltage	4000 V
Bending radius	7,5 x cable-Ø
RoHS-compliant	yes

### Description

Robust control cable, resistant to oil and abrasion. For use in tool making and machine industries, steel works, oil and coal industries and at building sites. It can also be used for portable tools, etc.. Recommendable if the cable comes in contact with chemical agents.

### Note

non-abrasive

### Product table

product number	product name	Weight ca. [kg]	Cu-weight [kg_km]	Outer-Ø ca. [mm]	Outer sheath colour
00505003	YSL11Y-OZ 2 x 0,5 gy	32,00	10,00	4,80	grey
00505004	YSL11Y-OZ 3 x 0,5 gy	39,00	15,00	5,10	grey
00505005	YSL11Y-JZ 3 G 0,5 gy	39,00	15,00	5,10	grey
00505006	YSL11Y-OZ 4 x 0,5 gy	50,00	19,20	5,70	grey
00505007	YSL11Y-JZ 4 G 0,5 gy	50,00	19,20	5,70	grey
00505008	YSL11Y-OZ 5 x 0,5 gy	59,00	24,00	6,20	grey
00505009	YSL11Y-JZ 5 G 0,5 gy	59,00	24,00	6,20	grey
00505010	YSL11Y-OZ 7 x 0,5 gy	76,00	34,00	6,70	grey
00505011	YSL11Y-JZ 7 G 0,5 gy	76,00	34,00	6,70	grey
00505012	YSL11Y-JZ 10 G 0,5 gy	109,00	48,00	8,60	grey
00505013	YSL11Y-JZ 12 G 0,5 gy	125,00	57,20	8,90	grey



PUR-cables - YSL11Y 40P  
non-abrasive

product number	product name	Weight ca. [kg]	Cu-weight [kg_km]	Outer-Ø ca. [mm]	Outer sheath colour
00505014	YSL11Y-JZ 18 G 0,5 gy	180,00	87,00	10,50	grey
00505015	YSL11Y-JZ 25 G 0,5 gy	250,00	120,00	12,40	grey
00505079	YSL11Y-JZ 30 G 0,5 gy	315,00	144,00	14,20	grey
00505016	YSL11Y-JZ 34 G 0,5 gy	333,00	164,00	14,30	grey
00505017	YSL11Y-JZ 41 G 0,5 gy	400,00	197,00	15,70	grey
00505018	YSL11Y-OZ 2 x 0,75 gy	41,00	14,40	5,40	grey
00505081	YSL11Y-OZ 2 x 0,75 bk	41,00	14,40	5,40	black
00505019	YSL11Y-OZ 3 x 0,75 gy	51,00	21,60	5,70	grey
00505020	YSL11Y-JZ 3 G 0,75 gy	51,00	21,60	5,70	grey
00505021	YSL11Y-OZ 4 x 0,75 gy	62,00	28,80	6,20	grey
00505022	YSL11Y-JZ 4 G 0,75 gy	62,00	28,80	6,20	grey
00505023	YSL11Y-OZ 5 x 0,75 gy	74,00	36,00	6,70	grey
00505024	YSL11Y-JZ 5 G 0,75 gy	74,00	36,00	6,70	grey
00505025	YSL11Y-OZ 7 x 0,75 gy	97,00	50,00	7,30	grey
00505026	YSL11Y-JZ 7 G 0,75 gy	97,00	50,00	7,30	grey
00505027	YSL11Y-JZ 10G0,75 gy	142,00	72,00	9,60	grey
00505084	YSL11Y-JZ 10 G 0,75 gy	142,00	72,00	9,60	grey
00505028	YSL11Y-JZ 12 G 0,75 gy	163,00	86,40	9,90	grey
00505029	YSL11Y-JZ 18 G 0,75 gy	234,00	129,60	11,70	grey
00505030	YSL11Y-JZ 25 G 0,75 gy	324,00	180,00	13,80	grey
00505031	YSL11Y-JZ 34 G 0,75 gy	431,00	244,80	15,90	grey
00505032	YSL11Y-JZ 41 G 0,75 gy	529,00	295,20	17,40	grey
00505033	YSL11Y-OZ 2 x 1 gy	48,00	19,20	5,70	grey
00505034	YSL11Y-OZ 3 x 1 gy	61,00	28,80	6,00	grey
00505035	YSL11Y-JZ 3 G 1 gy	61,00	28,80	6,00	grey
00505083	YSL11Y-JZ 3 G 1 or	61,00	28,80	6,00	orange
00505036	YSL11Y-OZ 4 x 1	74,00	38,40	6,50	grey
00505037	YSL11Y-JZ 4 G 1	74,00	38,40	6,50	grey
00505078	YSL11Y-OZ 4 x 1 bu	74,00	38,40	6,50	blue
00505038	YSL11Y-OZ 5 x 1 gy	89,00	48,00	7,10	grey
00505039	YSL11Y-JZ 5 G 1 gy	89,00	48,00	7,10	grey
00505041	YSL11Y-JZ 7 G 1 gy	120,00	67,00	8,00	grey
00505042	YSL11Y-JZ 10 G 1 gy	171,00	96,00	10,20	grey



PUR-cables - YSL11Y 40P  
non-abrasive

product number	product name	Weight ca. [kg]	Cu-weight [kg_km]	Outer-Ø ca. [mm]	Outer sheath colour
00505043	YSL11Y-JZ 12 G 1 gy	197,00	115,00	10,50	grey
00505044	YSL11Y-JZ 18 G 1 gy	289,00	173,00	12,70	grey
00505045	YSL11Y-JZ 25 G 1 gy	393,00	240,00	14,70	grey
00505046	YSL11Y-JZ 34 G 1 gy	532,00	326,40	17,10	grey
00505047	YSL11Y-JZ 41 G 1 gy	638,00	393,60	18,80	grey
00505077	YSL11Y-JZ 50 G 1 gy	890,00	480,00	23,40	grey
00505048	YSL11Y-OZ 2 x 1,5 gy	63,00	29,00	6,30	grey
00505049	YSL11Y-OZ 3 x 1,5 gy	79,00	43,00	6,70	grey
00505050	YSL11Y-JZ 3 G 1,5	79,00	43,00	6,70	grey
00505086	YSL11Y-JB 3 G 1,5 bk	79,00	43,00	6,70	black
00505051	YSL11Y-OZ 4 x 1,5 gy	98,00	58,00	7,20	grey
00505052	YSL11Y-JZ 4 G 1,5 gy	98,00	58,00	7,20	grey
00505001	YSL11Y-OZ 5 x 1,5 gy	121,00	72,00	8,10	grey
00505002	YSL11Y-JZ 5 G 1,5 gy	121,00	72,00	8,10	grey
00505053	YSL11Y-OZ 7 x 1,5 gy	159,00	101,00	8,90	grey
00505054	YSL11Y-JZ 7 G 1,5 gy	159,00	101,00	8,90	grey
00505055	YSL11Y-JZ 12 G 1,5 gy	268,00	173,00	12,00	grey
00505056	YSL11Y-JZ 18 G 1,5 gy	392,00	259,50	13,40	grey
00505057	YSL11Y-JZ 25 G 1,5 gy	541,00	360,00	16,90	grey
00505058	YSL11Y-JZ 34 G 1,5 gy	722,00	489,60	19,40	grey
00505059	YSL11Y-JZ 41 G 1,5 gy	867,00	590,40	21,30	grey
00505085	YSL11Y-JZ 42 G 1,5 gy	1100,00	605,00	21,10	grey
00505080	YSL11Y-JZ 50 G 1,5 gy	1250,00	720,00	25,40	grey
00505060	YSL11Y-JZ 3 G 2,5 gy	132,00	72,00	8,10	grey
00505061	YSL11Y-JZ 4 G 2,5 gy	163,00	96,00	8,90	grey
00505062	YSL11Y-JZ 5 G 2,5 gy	200,00	120,00	10,00	grey
00505063	YSL11Y-JZ 7 G 2,5 gy	267,00	168,00	11,10	grey
00505064	YSL11Y-JZ 12 G 2,5 gy	445,00	288,00	14,80	grey
00505076	YSL11Y-JZ 18 G 2,5 gy	940,00	600,00	20,00	grey
00505075	YSL11Y-JZ 25 G 2,5 gy	982,00	600,00	24,30	grey
00505082	YSL11Y -OB 2 x 4 ye	152,00	76,80	9,20	yellow
00505065	YSL11Y-JZ 4 G 4 gy	237,00	154,00	10,80	grey
00505066	YSL11Y-JZ 5 G 4 gy	291,00	192,00	12,10	grey



PUR-cables - YSL11Y 40P  
non-abrasive

product number	product name	Weight ca. [kg]	Cu-weight [kg_km]	Outer-Ø ca. [mm]	Outer sheath colour
00505067	YSL11Y-JZ 7 G 4 gy	391,00	269,00	13,40	grey
00505068	YSL11Y-JZ 4 G 6 gy	350,00	230,40	13,00	grey
00505069	YSL11Y-JZ 5 G 6 gy	430,00	288,00	14,50	grey
00505070	YSL11Y-JZ 7 G 6 gy	580,00	403,00	16,00	grey
00505071	YSL11Y-JZ 4 G 10 gy	567,00	384,00	16,20	grey
00505072	YSL11Y-JZ 5 G 10 gy	695,00	480,00	18,10	grey
00505073	YSL11Y-JZ 7 G 10 gy	937,00	672,00	20,00	grey
00505074	YSL11Y-JZ 4 G 16 gy	1064,00	614,40	18,80	grey
00505087	YSL11Y-JZ 4 G 25 gy	1590,00	960,00	29,40	grey
00505088	YSL11Y-JZ 4 G 70 gy	4400,00	2688,00	44,70	grey

