

# Compensation cable

## AGL type KCA LiYY



DERZEIT KEIN BILD VERFÜGBAR. | NO IMAGE AVAILABLE.

**Application:** For connecting thermo elements to measuring electronics.

### Construction and technical data:

<b>Specification/Standard:</b>	DIN IEC 584
<b>Conductor construction:</b>	7x0,2
<b>Conductor material:</b>	Ni/CrNi
<b>Insulation:</b>	PVC
<b>Sheathing material:</b>	PVC
<b>Insulation/sheath colour:</b>	gn(+)-wh(-)/gn
<b>Flame-retardant:</b>	VDE 0482-332-1-2/IEC 60332-1-2
<b>Operating temperature:</b>	0 - 150 °C
<b>Permitted outer cable temperature, fixed, °C:</b>	-5 - +70 °C
<b>Permitted outer cable temperature, moved, °C:</b>	0 - 70 °C
<b>Class:</b>	2 (+/- 2,5 °C)

*The products and information presented here are for technical calculation only. They are subject to technical progress and in no way represent the ability of shipment. Outer diameters are approximately.*

### AGL type KCA LiYY

part no.	part name	Ø [mm]	G [kg]
070328	LiYY 04X1.5 NiCr/Ni WH/GN colour code acc. to IEC, type K	8.2	130

Ø | outer diameter approx.

G | net weight per 1000